FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ELEVATION CERTIFICATE

O.M.B. No. 3067-0077 Expires July 31, 2002

		Importa								
ELIII DINO OUNTOO MANE		SECT	ION A - I	PROPERTY OWNER I	NFORMATIC	NC		e I	or Insurance Company Use	
BUILDING OWNER'S NAME				- 4					olicy Number	
BUILDING STREET ADDRESS (Inc	cluding Apt Un	it Suite and/or Bldg	No LOR !	PO POLITE AND DOVIN	2			121		
No 207 CASSIDY WAY		in, sand, arrest blug	140.7 013	O, NOOTE AND BOX NO	O.			C	ompany NAIC Number	
CITY				STATE			ZIP C	ODE		
Pooler	IDI INI I	T 5 77 7		GA			31322			
PROPERTY DESCRIPTION (Lot an Lot 248 HUNTERS RIDGE SUBDIN	ng Block Inumbe Vision Phase	ers, Tax Parcel Numb : 4R	er, Legal (Description, etc.)						
BUILDING USE (e.g., Residential, N			etc. Use 0	Comments section if neces	cantl					
Residential					outy.					
LATITUDE/LONGITUDE (OPTIONA (## - ## - ## ## or ######)	AL)	HORIZONTAL D		•	SOURCE:	GPS (Ty	pe):			
(III - III - IIII - III - IIII - III - IIII - III - IIII - IIII - IIII - IIII		☐ NAD 1927 ☐	MAD 196	3		USGS (Quad Map		Other:	
		SECTION B - F	LOOD	NSURANCE RATE MA	P (FIRM) IN	EODMATIC	NAI .			
B1, NFIP COMMUNITY NAME & CO	OMMUNITY NI			COUNTY NAME	- (1000)114	OMMATIC	714			
130261 Pooler	OMMON AND THE	SIVIDEIX		atham				B3 STA	TE -	
B4 MAP AND PANEL F	B5. SUFFIX	B6. FIRM INDEX	CDATE	P7 5/01/04						
NUMBER	DO GOLLIV	9/20/95	DATE	B7, FIRM PAI EFFECTIVE/REVIS		B8 FLC	OD ZONE(S)	10.	BASE FLOOD ELEVATION(S)	
130030 0075	C			9/3/92		1	AE	(2	(Zone AO, use depth of flooding) 12.0	
B10. Indicate the source of the Ba	se Flood Elev	ration (BFE) data o	r base flo	ood depth entered in B9				-		
☐ FIS Profile ☐ F	:IRM	Communi	ty Detern	nined 🗀	Other (Desc	ribe):				
B11. Indicate the elevation datum	used for the E	BFE in B9; 🔀 NG	VD 1929		NAVD 1988	Other	(Describe):			
312. Is the building located in a Co	Dasial Barner	Resources System	I (CBRS)	area or Otherwise Prof	ected Area (OPA)?	'es ⊠ No	Desigr	ation Date	
M. D. Stern L. P		SECTION C - BUIL		LEVATION INFORMAT		EY REQUIR	RED)			
C1. Building elevations are based of	on: 🔲 Const	ruction Drawings*		Building Under Construc	ction* 🛛	Finished C	onstruction			
*A new Elevation Certificate w	rill be required	when annothering								
10 D 11 D 11		when construction	of the bi	uilding is complete.						
C2. Building Diagram Number <u>1.</u> (S	elect the build	ding diagram most s	similar to	uilding is complete the building for which the	nis certificate	is being co	mpleted - se	e pages	and 7. If no diagram	
 Building Diagram Number 1 (Single accurately represents the build 	elect the build	ling diagram most s a sketch or photogra	similar to aph.)	the building for which the				e pages	6 and 7. If no diagram	
 Building Diagram Number 1/s accurately represents the build Elevations – Zones A1-A30, Al 	elect the build ding, provide a E, AH, A (with	ling diagram most s a sketch or photogra a BFE), VE, V1-V30	similar to aph.) 0. V (with	the building for which the BEEN AR ARIA ARIA	AE ARIA1-A	30 VD/VN	ADVAO			
 Building Diagram Number 1 (S) accurately represents the build Elevations – Zones A1-A30, Al Complete Items C3a-i below a 	ielect the build ding, provide a E, AH, A (with according to th	ting diagram most s a sketch or photogra a BFE), VE, V1-V30 e building diagram	similar to aph.) 0, V (with specified	the building for which the building for which the BFE), AR, AR/A, AR/A	NE, ARVA1-A:	30, AR/AH,	AR/AO	Al	14 15 (1	
 Building Diagram Number 1 (S) accurately represents the build Elevations – Zones A1-A30, Al Complete Items C3a-i below a Section B, convert the datum t 	elect the build ding, provide a E, AH, A (with according to th to that used fo	ling diagram most s a sketch or photogra a BFE), VE, V1-V30 e building diagram or the BFE, Show fi	similar to aph.) 0, V (with specified ield meas	the building for which the BFE), AR, AR/A, AR/A in Item C2. State the description of the surements and datum controls.	NE, ARVA1-A:	30, AR/AH,	AR/AO	Al	14 15 (1	
C2. Building Diagram Number 1,(S) accurately represents the build C3. Elevations – Zones A1-A30, Al Complete Items C3a-i below a Section B, convert the datum to Section D or Section G, as apprendictions.	elect the build ding, provide a E, AH, A (with according to that to that used fo propriate, to de	ling diagram most s a sketch or photogra a BFE), VE, V1-V30 e building diagram or the BFE, Show fi	similar to aph.) 0, V (with specified ield meas	the building for which the BFE), AR, AR/A, AR/A in Item C2. State the description of the surements and datum controls.	NE, ARVA1-A:	30, AR/AH,	AR/AO	Al	14 15 (1	
C2. Building Diagram Number 1,(S) accurately represents the build C3. Elevations – Zones A1-A30, Al Complete Items C3a-i below a Section B, convert the datum t Section D or Section G, as app Datum Conversion/Conver	elect the build ding, provide a E, AH, A (with according to that used for propriate, to dimments	ding diagram most of a sketch or photogram in BFE), VE, V1-V30 or building diagram or the BFE. Show for current the datum	similar to aph.) 0, V (with specified eld meas 1 convers	the building for which the BFE), AR, ARVA, ARVA in Item C2. State the disurements and datum critical.	AE, ARVA1-A: latum used. I onversion cai	30, AR/AH, f the datum Iculation. U	AR/AO is different fi se the space	Al	14 15 (1	
22. Building Diagram Number 1,(S) accurately represents the build accurately represents the build accurately represents the build accurately represents the datum to Section B, convert the datum to Section D or Section G, as apportune Conversion/Convers	elect the build ding, provide a E, AH, A (with according to that used for propriate, to dimments	ting diagram most so a sketch or photogrant or photogrant or building diagram or the BFE. Show footurnent the datument the elevation referent	similar to aph.) 0, V (with specified eld meas 1 convers	the building for which the BFE), AR, AR/A, AR/A in Item C2. State the discrements and datum crition.	AE, ARVA1-A: latum used. I onversion cai	30, AR/AH, f the datum Iculation. U	AR/AO is different fi se the space	Al	14 15 (1	
22. Building Diagram Number 1 (S) accurately represents the build 3. Elevations – Zones A1-A30, Al Complete Items C3a-i below a Section B, convert the datum to Section D or Section G, as app Datum Conversion/Contellevation reference mark used ☐ a) Top of bottom floor (included).	elect the build ding, provide a E, AH, A (with according to that used for propriate, to dimments	ting diagram most so a sketch or photogrant or photogrant or building diagram or the BFE. Show footurnent the datument the elevation referent	similar to aph.) 0, V (with specified eld meas 1 convers	the building for which the BFE), AR, AR/A, AR/A, In Item C2. State the discrements and datum criticals. k used appear on the F 19. 1 ft.(m)	AE, ARVA1-A; latum used. I onversion cai	30, AR/AH, f the datum Iculation. U	AR/AO is different fi se the space	Al	14 15 11	
22. Building Diagram Number 1 (S) accurately represents the build 3. Elevations – Zones A1-A30, Al Complete Items C3a-i below a Section B, convert the datum to Section D or Section G, as app Datum Conversion/Content Elevation reference mark used a) Top of bottom floor (inclution of the content	elect the building, provide a E, AH, A (with according to th to that used for propriate, to d armments Does uding baseme	ding diagram most so a sketch or photogram BFE), VE, V1-V30 e building diagram or the BFE. Show foocument the datum the elevation referent or enclosure)	similar to aph.) 0, V (with specified eld meas n convers ence mar	the building for which the BFE), AR, AR/A, AR/A, In Item C2. State the discrements and datum crision. k used appear on the F	AE, AR/A1-A: latum used. I conversion cal	30, AR/AH, f the datum Iculation. U	AR/AO is different fi se the space	Al	14 15 0 777	
22. Building Diagram Number 1,(S) accurately represents the build 3. Elevations – Zones A1-A30, Al Complete Items C3a-i below a Section B, convert the datum the Section D or Section G, as app Datum Conversion/Con	elect the building, provide a E, AH, A (with according to th to that used for propriate, to de mments diDoes uding baseme	ding diagram most so a sketch or photogram BFE), VE, V1-V30 e building diagram or the BFE. Show foocument the datum the elevation referent or enclosure)	similar to aph.) 0, V (with specified eld meas n convers ence mar	the building for which the BFE), AR, AR/A, AR/A in Item C2. State the disurements and datum crision. k used appear on the F 19. 1 ft.(m) 1/// ft.(m)	AE, AR/A1-A: latum used. I conversion cal	30, AR/AH, f the datum Iculation. U	AR/AO is different fi se the space	Al	14 15 11	
22. Building Diagram Number 1,(S) accurately represents the build 33. Elevations – Zones A1-A30, Al Complete Items C3a-i below a Section B, convert the datum t Section D or Section G, as app Datum Conversion/Con Elevation reference mark used □ a) Top of bottom floor (inclu □ b) Top of next higher floor □ c) Bottom of lowest horizont □ d) Attached garage (top of s	elect the building, provide a E, AH, A (with according to th to that used for propriate, to di mments diDoes uding baseme tal structural n	ding diagram most sa sketch or photogram BFE), VE, V1-V30 BED, VE, V1-V30 BED, Show fine diagram control the datum the elevation referent or enclosure) member (V zones on	similar to aph.) 0, V (with specified eld meas n convers ence mar	the building for which the BFE), AR, AR/A, AR/A, In Item C2. State the discrements and datum crision. k used appear on the F	AE, AR/A1-A: latum used. I conversion cal	30, AR/AH, f the datum Iculation. U	AR/AO is different fi se the space	Al	14 15 11	
22. Building Diagram Number 1.(S) accurately represents the build 33. Elevations – Zones A1-A30, Al Complete Items C3a-i below as Section B, convert the datum t Section D or Section G, as app Daturn Conversion/Con Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont d) Attached garage (top of s e) Lowest elevation of mach	elect the building, provide a E, AH, A (with according to th to that used for propriate, to di mments diDoes uding baseme tal structural n	ding diagram most sa sketch or photogram BFE), VE, V1-V30 BED, VE, V1-V30 BED, Show fine diagram control the datum the elevation referent or enclosure) member (V zones on	similar to aph.) 0, V (with specified eld meas n convers ence mar	the building for which the BFE), AR, ARVA, ARVA in Item C2. State the disurements and datum coion. k used appear on the F 19.1 ft.(m) 18.5 ft.(m)	AE, AR/A1-A: latum used. I onversion cai IRM? Y	30, AR/AH, f the datum Iculation. U	Empossed Seal, and Date space and Date	Al	14 15 11	
22. Building Diagram Number 1.(S) accurately represents the build 33. Elevations – Zones A1-A30, Al Complete Items C3a-i below as Section B, convert the datum t Section D or Section G, as app Daturn Conversion/Con Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont d) Attached garage (top of s e) Lowest elevation of mach servicing the building	elect the building, provide a E, AH, A (with according to th to that used for propriate, to di mments diDoes uding baseme tal structural n slab) hinery and/or	ding diagram most sa sketch or photogram BFE), VE, V1-V30 BED, VE, V1-V30 BED, Show fine diagram control the datum the elevation referent or enclosure) member (V zones on	similar to aph.) 0, V (with specified eld meas n convers ence mar	the building for which the BFE), AR, AR/A, AR/A, AR/A, In Item C2. State the disurements and datum crision. It used appear on the F 19.1ft.(m) 1/// ft.(m) 18.5ft.(m)	AE, AR/A1-A: latum used. I onversion cai IRM? Y	30, AR/AH, f the datum Iculation. U	Empossed Seal, and Date space and Date	Al	14 15 11	
22. Building Diagram Number 1,(S) accurately represents the build 32. Elevations – Zones A1-A30, Al Complete Items C3a-i below a Section B, convert the datum t Section D or Section G, as app Datum Conversion/Cor Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont d) Attached garage (top of s e) Lowest elevation of mach servicing the building f) Lowest adjacent grade (Lo	elect the building, provide a E, AH, A (with according to the to that used for propriate, to di mments diDoes uding baseme tal structural n slab) hinery and/or AG)	ding diagram most sa sketch or photogram BFE), VE, V1-V30 BED, VE, V1-V30 BED, Show fine diagram control the datum the elevation referent or enclosure) member (V zones on	similar to aph.) 0, V (with specified eld meas n convers ence mar	the building for which the BFE). AR, AR/A, AR/A, In Item C2. State the discrements and datum crision. It is used appear on the F 19.1ft.(m) 18.5ft.(m) 18.5ft.(m)	AE, AR/A1-A: latum used. I onversion cai IRM? Y	30, AR/AH, f the datum Iculation. U	Empossed Seal, and Date space and Date	Al	14 15 11	
22. Building Diagram Number 1,(S) accurately represents the build: 3. Elevations – Zones A1-A30, Al Complete Items C3a-i below at Section B, convert the datum t Section D or Section G, as app Datum Conversion/Cot Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont d) Attached garage (top of s e) Lowest elevation of mach servicing the building f) Lowest adjacent grade (L- g) Highest adjacent grade (L-	elect the building, provide a E, AH, A (with according to the to that used for propriate, to di mments diDoes uding baseme tal structural in slab) hinery and/or AG) HAG)	ding diagram most so a sketch or photogram in BFE), VE, V1-V30 e building diagram for the BFE. Show footument the datument the elevation referent or enclosure) equipment	similar to aph.) 0, V (with specified leld meas n convers ence mar	the building for which the building for which the BFE), AR, ARVA, ARVA in Item C2. State the disurements and datum coion. It used appear on the F	AE, AR/A1-A: latum used. I onversion cai IRM? Y	30, AR/AH, f the datum Iculation. U	Empossed Seal, and Date space and Date	Al	14 15 11	
22. Building Diagram Number 1,(S) accurately represents the build 33. Elevations – Zones A1-A30, Al Complete Items C3a-i below a Section B, convert the datum t Section D or Section G, as app Datum Conversion/Con Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont d) Attached garage (top of s e) Lowest elevation of mach servicing the building f) Lowest adjacent grade (L) g) Highest adjacent grade (L) l) No. of permanent opening	elect the building, provide a E, AH, A (with according to th to that used for propriate, to di mments di Does uding baseme tal structural n slab) hinery and/or HAG) gs (flood vent	ding diagram most so a sketch or photogram BFE), VE, V1-V30 e building diagram or the BFE. Show find the datum the elevation referent or enclosure) nember (V zones of equipment	similar to aph.) O, V (with specified eld meas n conversence mar	the building for which the building for which the BFE), AR, AR/A, AR/A, In Item C2. State the disurements and datum coision. It used appear on the F 19. 1 ft.(m) 18. 5 ft.(m) 17. 6 ft.(m) 18. 3 ft.(m) 18. 3 ft.(m)	AE, AR/A1-A: latum used. I onversion cai IRM? Y	30, AR/AH, f the datum Iculation. U	Empossed Seal, is different to and Date space.	Al	14 15 11	
C2. Building Diagram Number 1,(S) accurately represents the build C3. Elevations – Zones A1-A30, Al Complete Items C3a-i below a Section B, convert the datum t Section D or Section G, as app Datum Conversion/Con Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont c) Bottom of lowest horizont d) Attached garage (top of s e) Lowest elevation of mach servicing the building f) Lowest adjacent grade (L- g) Highest adjacent grade (L-	elect the building, provide a E, AH, A (with according to the tothat used for propriate, to disminents di	ding diagram most so a sketch or photogram as sketch or photogram or the BFE, V1-V30 e building diagram or the BFE. Show foocument the datum the elevation referent or enclosure) nember (V zones of equipment	similar to aph.) 0, V (with specified ield meas n convers ence mar nly)	the building for which the building for which the BFE). AR, AR/A, AR/A in Item C2. State the disurements and datum coion. It used appear on the F 19. 1 ft.(m) 18. 5 ft.(m) 17. 6 ft.(m) 18. 3 ft.(m) 1 grade 2//A in. (sq. cm)	AE, AR/A1-A: latum used. I onversion cai	30, AR/AH, f the datum Iculation. U	License Number, Embossed Seal, see the share and Date share share and Date	Al	14 15 11	
C2. Building Diagram Number 1,(S) accurately represents the build C3. Elevations – Zones A1-A30, Al Complete Items C3a-i below as Section B, convert the datum t Section D or Section G, as app Datum Conversion/Con Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont d) Attached garage (top of s e) Lowest elevation of mach servicing the building f) Lowest adjacent grade (L- g) Highest adjacent grade (L- h) No. of permanent opening i) Total area of all permanen	elect the build ding, provide a E, AH, A (with according to the tothat used for propriate, to differents	ding diagram most sasketch or photogram BFE), VE, V1-V30 BED, VE, VE, V1-V30 BED, VE, VE, VE, VE, VE, VE, VE, VE, VE, VE	similar to aph.) 0, V (with specified ield meas n convers ence mar nly)	the building for which the building for which the BFE), AR, ARVA, ARVA in Item C2. State the disurements and datum consion. k used appear on the F 19.1 ft.(m) 18.5 ft.(m) 18.5 ft.(m) 17.6 ft.(m) 18.3 ft.(m) t grade AV/A in. (sq. cm) ENGINEER, OR ARCH	AE, AR/A1-A: latum used. I onversion cal IRM? Y	30, AR/AH, If the datum Iculation. U Tes No	License Number, Embossed Seal, see the Signature, and Date	from the deprovide	datum used for the BFE in d or the Comments area of	
C2. Building Diagram Number 1,(S) accurately represents the build C3. Elevations – Zones A1-A30, Al Complete Items C3a-i below at Section B, convert the datum t Section D or Section G, as app Datum Conversion/Con Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont c) Attached garage (top of s e) Lowest elevation of mach servicing the building f) Lowest adjacent grade (L- g) Highest adjacent grade (L- h) No. of permanent opening i) Total area of all permanen	elect the build ding, provide a E, AH, A (with according to the tothat used for propriate, to differents	ding diagram most sa sketch or photogram in BFE), VE, V1-V30 e building diagram or the BFE. Show fi ocument the datum the elevation referent or enclosure) nember (V zones of equipment s) within 1 ft. above ood vents) in C3h_ SECTION D - SUR by a land surveyo	similar to aph.) 0, V (with specified ield meas n convers ence mar nly) a adjacen sq. i VEYOR, or, engine	the building for which the building for which the BFE), AR, ARVA, ARVA in Item C2. State the disurements and datum consion. k used appear on the F 19.1 ft.(m) 18.5 ft.(m) 18.5 ft.(m) 17.6 ft.(m) 18.3 ft.(m) t grade AVA in (sq. cm) ENGINEER, OR ARCL	AE, AR/A1-A: latum used. I latum used. I lRM? Y HITECT CER	30, AR/AH, If the datum Iculation. U 'es No	AR/AO is different fi Signalure, and Date Signalure, and Date	from the deprovide	datum used for the BFE in d or the Comments area of	
C2. Building Diagram Number 1,(S) accurately represents the build C3. Elevations – Zones A1-A30, Al Complete Items C3a-i below at Section B, convert the datum t Section D or Section G, as app Daturn Conversion/Con Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont c) Attached garage (top of s e) Lowest elevation of mach servicing the building f) Lowest adjacent grade (L- g) Highest adjacent grade (L- g) Highest adjacent grade (L- h) No. of permanent opening i) Total area of all permanent This certification is to be signed	elect the build ding, provide a E, AH, A (with according to the tothat used for propriate, to different building baseme tal structural in slab) hinery and/or AG) gs (flood vent at openings (flood sealed sections A, B	ding diagram most sa sketch or photogram BFE), VE, V1-V30 e building diagram for the BFE. Show footurnent the datument or enclosure) nember (V zones of equipment s) within 1 ft. above good vents) in C3h _ SECTION D - SUR by a land surveyors and C on this ce	similar to aph.) 0, V (with specified eld meas n convers ence mar nly) e adjacen sq. i VEYOR, or, engine	the building for which the building for which the BFE), AR, ARVA, ARVA, ARVA in Item C2. State the disurements and datum consion. It used appear on the F	AE, AR/A1-A: latum used. I onversion cal IRM? Y HITECT CER rized by law	30, AR/AH, If the datum Iculation. U Tes No RTIFICATIO to certify e	AR/AO is different fi see the space Signalure, and Date N	from the deprovide	datum used for the BFE in d or the Comments area of	
22. Building Diagram Number 1,(S) accurately represents the build: 33. Elevations – Zones A1-A30, AI Complete Items C3a-i below at Section B, convert the datum t Section D or Section G, as app Daturn Conversion/Con Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont c) Bottom of lowest horizont c) Attached garage (top of s e) Lowest elevation of mach servicing the building f) Lowest adjacent grade (L) g) Highest adjacent grade (L) g) Highest adjacent grade (L) h) No. of permanent opening i) Total area of all permanen This certification is to be signed certify that the information in S understand that any false state	elect the build ding, provide a E, AH, A (with according to the tothat used for propriate, to dimments	ding diagram most sa sketch or photogram BFE), VE, V1-V30 e building diagram for the BFE. Show footurnent the datument or enclosure) nember (V zones of equipment s) within 1 ft. above good vents) in C3h _ SECTION D - SUR by a land surveyors and C on this ce	similar to aph.) 0, V (with specified eld meas n convers ence mar nly) e adjacen sq. i VEYOR, or, engine	the building for which the building for which the BFE), AR, ARVA, ARVA, ARVA in Item C2. State the disurements and datum consion. It used appear on the F	AE, AR/A1-A: latum used. I conversion cal IRM? Y HITECT CER rized by law fforts to inter U.S. Code, i	RTIFICATIO to certify expret the datum	AR/AO is different finese Namber, Embossed Seal, Signature, and Date Signature, and Date Signature, and available of 1.	from the deprovide	datum used for the BFE in d or the Comments area of	
22. Building Diagram Number 1,(S) accurately represents the build accurately represents the build 3. Elevations – Zones A1-A30, Al Complete Items C3a-i below at Section B, convert the datum the Section D or Section G, as appured to be conversion/Conference mark used and all the conversion and by Top of next higher floor and by Top of next higher floor and conversion and conversion and conversion and conversion are conversionally and conversion are conversionally and conversion are conversionally and conversion and conversion are conversionally and conversion according to the conversion and conversion according to the conversion and conversion according to the conversion acc	elect the build ding, provide a E, AH, A (with according to the tothat used for propriate, to dimments	ding diagram most sa sketch or photogram BFE), VE, V1-V30 e building diagram for the BFE. Show footurnent the datument or enclosure) nember (V zones of equipment s) within 1 ft. above good vents) in C3h _ SECTION D - SUR by a land surveyors and C on this ce	similar to aph.) 0, V (with specified eld meas n convers ence mar nly) e adjacen sq. i VEYOR, or, engine	the building for which the building for which the BFE), AR, ARVA, ARVA in Item C2. State the disurements and datum consion. It used appear on the F 19.1 ft.(m) 18.5 ft.(m) 18.5 ft.(m) 17.6 ft.(m) 18.3 ft.(m) to grade AVA in (sq. cm) ENGINEER, OR ARCI	AE, AR/A1-A: latum used. I onversion cal IRM? Y HITECT CER rized by law fforts to inter U.S. Code,	RTIFICATION to certify expret the dagger of	AR/AO is different fi see the space Riguralnie and Date N Revation infi ata available 01. MBER 2509	ormatior	datum used for the BFE in d or the Comments area of	
C2. Building Diagram Number 1,(S) accurately represents the build C3. Elevations – Zones A1-A30, Al Complete Items C3a-i below as Section B, convert the datum t Section D or Section G, as app Datum Conversion/Con Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont d) Attached garage (top of s e) Lowest elevation of mach servicing the building f) Lowest adjacent grade (L- g) Highest adjacent grade (L- g) Highest adjacent grade (L- h) No. of permanent opening f) Total area of all permanen This certification is to be signed certify that the information in S understand that any false state CERTIFIER'S NAME Michael A. Huss ITLELand Surveyor	elect the build ding, provide a E, AH, A (with according to the tothat used for propriate, to dimments	ding diagram most sa sketch or photogram BFE), VE, V1-V30 e building diagram for the BFE. Show footurnent the datument or enclosure) nember (V zones of equipment s) within 1 ft. above good vents) in C3h _ SECTION D - SUR by a land surveyors and C on this ce	similar to aph.) 0, V (with specified eld meas n convers ence mar nly) e adjacen sq. i VEYOR, or, engine	the building for which the building for which the BFE), AR, AR/A, AR/A, AR/A, In Item C2. State the disurements and datum consistency of the Factor of the F	AE, AR/A1-A: latum used. I conversion cal IRM? Y HITECT CER rized by law fforts to inter U.S. Code, i	RTIFICATION to certify expret the dagger of	AR/AO is different fi see the space license Number, Empossed Seal license Number Seal	ormatior	datum used for the BFE in d or the Comments area of	
22. Building Diagram Number 1,(S) accurately represents the build accurately represents the build 3. Elevations – Zones A1-A30, Al Complete Items C3a-i below at Section B, convert the datum the Section D or Section G, as appuatum Conversion/Contelevation reference mark used and all a properties and a properties of the building and building are building and bui	elect the build ding, provide a E, AH, A (with according to the tothat used for propriate, to dimments	ding diagram most sa sketch or photogram BFE), VE, V1-V30 e building diagram for the BFE. Show footurnent the datument or enclosure) nember (V zones of equipment s) within 1 ft. above good vents) in C3h _ SECTION D - SUR by a land surveyors and C on this ce	similar to aph.) 0, V (with specified eld meas n convers ence mar nly) e adjacen sq. i VEYOR, or, engine	the building for which the building for which the BFE), AR, AR/A, AR/A, AR/A, In Item C2. State the disurements and datum consistency of the surements and datum consistency of the surements and datum consistency of the surements and datum consistency of the surement of	AE, AR/A1-A: latum used. I onversion cal IRM? Y HITECT CER rized by law fforts to inter U.S. Code,	RTIFICATION to certify expret the dagger of	AR/AO is different fi se the space license Number, Empossed Seal Signature, and Date Signature, and Date MBER 2509 er Engineerin	ormatior	datum used for the BFE in d or the Comments area of	
C2. Building Diagram Number 1,(S) accurately represents the build C3. Elevations – Zones A1-A30, Al Complete Items C3a-i below as Section B, convert the datum to Section D or Section G, as app Datum Conversion/Con Elevation reference mark used a) Top of bottom floor (inclu b) Top of next higher floor c) Bottom of lowest horizont c) Attached garage (top of s e) Lowest elevation of mach servicing the building f) Lowest adjacent grade (L) g) Highest adjacent grade (L) g) Highest adjacent grade (L) h) No. of permanent opening f) Total area of all permanent This certification is to be signed certify that the information in S cunderstand that any false state CERTIFIER'S NAME Michael A. Huss	elect the build ding, provide a E, AH, A (with according to the tothat used for propriate, to dimments	ding diagram most sa sketch or photogram BFE), VE, V1-V30 e building diagram for the BFE. Show footurnent the datument or enclosure) nember (V zones of equipment s) within 1 ft. above good vents) in C3h _ SECTION D - SUR by a land surveyors and C on this ce	similar to aph.) 0, V (with specified eld meas n convers ence mar nly) e adjacen sq. i VEYOR, or, engine	the building for which the building for which the BFE), AR, AR/A, AR/A, AR/A, In Item C2. State the disurements and datum consistency of the Factor of the F	AE, AR/A1-A: latum used. I onversion cal IRM? Y HITECT CER rized by law fforts to inter U.S. Code,	RTIFICATION to certify expret the dagger of	AR/AO is different fi see the space license Number, Empossed Seal license Number Seal	ormation	datum used for the BFE in d or the Comments area of	

IMPORTANT: In these spaces, copy the corresponding information from Se	For Insurance Company Use						
BUILDING STREET ADDRESS (Including Apl., Unit, Suite, and/or Bldg. No.) OR P.O. ROU No 207 CASSIDY WAY	TE AND BOX NO.		Policy Number				
CITY Pooler	STATE GA	ZIP CODE 31322	Company NAIC Number				
SECTION D - SURVEYOR, ENGINEER,			herselegalik sepaktik da				
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance							
COMMENTS	se agenreumpany, and	(o) building owner.					
	€						
	N						
			☐ Check here if attachment				
SECTION E - BUILDING ELEVATION INFORMATION (SURV							
For Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Election C must be completed. E1. Building Diagram Number _(Select the building diagram most similar to the building represents the building, provide a sketch or photograph.) E2. The top of the bottom floor (including basement or enclosure) of the building is_ E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or el grade.	ng for which this certifica _ft.(m)in.(cm) [] a evated floor (elevation	ate is being completed—see particles on below (check one b) of the building isft.(m)	ages 6 and 7. If no diagram accurately e) the highest adjacent grade. in.(cm) above the highest adjacen				
E4. For Zone AO only: If no flood depth number is available, is the top of the botton Yes No Unknown. The local official must certify this information	n floor elevated in acco n in Section G.	rdance with the community's f	floodplain management ordinance?				
SECTION F - PROPERTY OWNER (OR C		TATIVE) CERTIFICATION					
The property owner or owner's authorized representative who completes Sections A							
sign here.	1						
PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME							
ADDRESS	CITY	STATE	E ZIP CODE				
SIGNATURE	DATE	TELEF	PHONE				
COMMENTS	*		0 2				
)# (#		☐ Check here if attachments				
SECTION G - COMMUNI	TY INFORMATION (O	PTIONAL)					
The local official who is authorized by law or ordinance to administer the community's local official who is authorized by law or ordinance to administer the community's local feet. Complete the applicable item(s) and sign below. G1. The information in Section C was taken from other documentation that has be state or local law to certify elevation information, (Indicate the source and degrees). G2. A community official completed Section E for a building located in Zone A (vector). G3. The following information (Items G4-G9) is provided for community floodplain.	een signed and embos ate of the elevation dat vithout a FEMA-issued	sed by a licensed surveyor, en a in the Comments area belov or community-issued BFE) or	ngineer, or architect who is authorized				
G4. PERMIT NUMBER G5. DATE PERMIT ISSUED	GE	DATE CERTIFICATE OF COM	PLIANCE/OCCUPANCY ISSUED				
67. This permit has been issued for: New Construction Substantial Improver	nent L						
68. Elevation of as-built lowest floor (including basement) of the building is:	TIO/IL	ft.(m)	Datum:				
9. BFE or (in Zone AO) depth of flooding at the building site is:	w.	ft.(m)	Datum:				
LOCAL OFFICIAL'S NAME	TITLE						
COMMUNITY NAME	TELEPH	TELEPHONE					
SIGNATURE	DATE						
COMMENTS							
	i i						
40.	N.		☐ Check here if attachments				
	8						